

Solutions Warm-Ups Key.notebook

1. Solution Types

Give 6 different types of solutions, with an example of each.

Solvent	Solute
Gas	Gas
G	L
G	S
L	G
L	L
L	S
S	G
S	L
S	S

2. Polarity/Electronegativity

1. Define the following terms:

a. Electronegativity


Ability to attract e^- in a bond

b. Polarity

partial opposite charges on a molecule

2. Explain how polar bonds are formed in terms of electronegativity.

uneven sharing of e^- → e^- are closer to more e^- -neg. atom (negative)



Solutions Warm-Ups Key.notebook

y + x + x


3. Dissolving/Dissociation

1. What is the difference in how ionic compounds dissolve versus how covalent compounds dissolve?

ionic - dissociate into ions

covalent - dissolve as whole molecules

2. Write the balanced reaction showing the dissolving/dissociation of the following:



3. Which solution in #2 would conduct electricity? #1 (ions)

4. Dissociation/Heat of Solution

1. Write the reaction showing the dissolving of the following solids (be sure to note whether they are covalent or ionic!). Include states.



2. State whether each of the following is an endothermic or exothermic process, and whether it would feel hot or cold:

- a. Breaking bonds between solute molecules

endo

cold

- b. Breaking bonds between solvent molecules

endo

cold

- c. Forming new bonds between solvent molecules

exo

hot

5. Heat of Solution

State whether each of the following is an endothermic or exothermic process, and whether it would feel hot or cold:

- a. Breaking bonds between solute molecules

endo → cold

- b. Breaking bonds between solvent molecules

endo → cold

- c. Forming new bonds between solvent molecules

exo → hot

6. Heat of solution

Explain how a hot pack works in terms of solution formation. Use the energy changes that occur during the breaking and forming of bonds to explain the process.

- ① Break Solute apart
- ② Break Solvent apart
- ③ form bonds b/w solute + solvent - exo (energy out)

Hot pack: more energy made forming bonds than used to break bonds

Solutions Warm-Ups Key.notebook

7. Solution Formation

1. Give 2 ways you can make a solid dissolve faster.

Stir, ↑ temp, ↓ Particle Size

2. Give 2 ways you can make a solid dissolve more.

↑ temp, use similar Solvent (polar/non polar)

3. Write the dissociation reaction for magnesium chloride.



4. What is an electrolyte?

Solution that conducts electricity

8. Solution Formation/Solubility Curves

1. Write the reaction showing the dissolving of the following:



2. Use your solubility table to answer the following questions:

- a) 100 grams of water are saturated with sodium nitrate at 40°C. If this solution is heated to 70°C, how much more can be dissolved?

@ 40°C = 105g/100g H₂O → 135g - 105g = 30g more

@ 70°C = 135g/100g H₂O

- b) How many grams of ammonium chloride will dissolve in 65g of water at 70°C?

@ 70°C = $\frac{60\text{g}}{100\text{g H}_2\text{O}} = \frac{x}{65\text{g H}_2\text{O}}$ x = 39g/65g H₂O

- c) What is the solubility of sodium chloride in 100 grams of water at 50°C?

38g/100g H₂O

Solutions Warm-Ups Key.notebook

8. Solubility Curves

Use your solubility table to answer the following questions:

- a) 100 grams of water are saturated with sodium nitrate at 40°C. If this solution is heated to 70°C, how much more can be dissolved?

$$\begin{array}{l} @ 40^{\circ}\text{C} \rightarrow 105\text{g}/100\text{g H}_2\text{O} \\ @ 70^{\circ}\text{C} \rightarrow 135\text{g}/100\text{g H}_2\text{O} \end{array} \quad 135\text{g} - 105\text{g} = 30\text{g more}$$

- b) How many grams of ammonium chloride will dissolve in 65g of water at 70°C?

$$\frac{61\text{g}}{100\text{g H}_2\text{O}} = \frac{x}{65\text{g H}_2\text{O}} \quad x = 39.65\text{g}$$

- c) What is the solubility of sodium chloride in 100 grams of water at 50°C?

$$39\text{g}/100\text{g H}_2\text{O}$$

9. Solubility Curves

Use your solubility curve to answer the following:

1. Which is more soluble - NaNO_3 or KCl ?
2. How many grams of NH_4Cl will dissolve in 100g of water at 90C
3. How many grams of NH_4Cl will dissolve in 50g of water at 90C
4. A saturated solution of KNO_3 in 400g of water at 50C is cooled to 10C. How much will come out of solution?

$$@ 50^{\circ}\text{C} \rightarrow 84\text{g}/100\text{g H}_2\text{O} \quad 84\text{g} - 24\text{g} = 60\text{g}$$

$$@ 10^{\circ}\text{C} \rightarrow 24\text{g}/100\text{g H}_2\text{O}$$

Solutions Warm-Ups Key.notebook

10. Solubility Curves - Same as #8

Use your solubility table to answer the following questions:

1. 100 grams of water are saturated with sodium nitrate at 40°C. If this solution is heated to 70°C, how much more can be dissolved?
2. How many grams of ammonium chloride will dissolve in 65g of water at 70°C?
3. What is the solubility of sodium chloride in 100 grams of water at 50°C?

11. Solubility Curves

Use your solubility graph to answer the following questions:

1. How many grams of potassium nitrate will dissolve in 100g of water at 60 degrees celsius?

$$105\text{g}/100\text{g H}_2\text{O}$$

2. A saturated solution of ammonium chloride at 90 degrees is cooled to 10 degrees celsius. How many grams of solute will precipitate (settle out)?

$$\text{@ } 90^\circ\text{C} \quad 72\text{g}/100\text{g H}_2\text{O}$$

$$72\text{g} - 33\text{g} = 39\text{g}$$

$$\text{@ } 10^\circ\text{C} \quad 33\text{g}/100\text{g H}_2\text{O}$$

3. How many grams of sodium nitrate will dissolve in 60mL of water at 50 degrees celsius?

$$115\text{g}/100\text{g H}_2\text{O}$$

$$\frac{115\text{g}}{100\text{g H}_2\text{O}} = \frac{x}{60\text{g H}_2\text{O}}$$

$$x = 69\text{g}$$

Solutions Warm-Ups Key.notebook

12. Molarity/Solution Preparation

$$\text{LiCl} = 42.44 \text{ g/mol}$$

1. 10g of LiCl is dissolved in 150mL of water. What is the molarity? $\leftarrow \frac{\text{mol}}{\text{L}}$

$$10\text{g} \times \frac{1\text{mol}}{42.44\text{g}} = \frac{0.24\text{mol}}{0.15\text{L}} = 1.57 \frac{\text{mol}}{\text{L}}$$

2. You want to make 500mL of 0.1mol/L LiCl solution.

- a) How many moles of LiCl are needed?

$$0.5\text{L} \times \frac{0.1\text{mol}}{1\text{L}} = 0.05\text{mol}$$

- b) How many grams of LiCl are needed?

$$0.05\text{mol} \times \frac{42.44\text{g}}{1\text{mol}} = 2.12\text{g}$$

3. You have 200mL of 0.1mol/L LiCl solution.

- a) how many moles of LiCl does it contain?

$$0.2\text{L} \times \frac{0.1\text{mol}}{1\text{L}} = 0.02\text{mol}$$

- b) How many grams of LiCl does it contain?

$$0.02\text{mol} \times \frac{42.44\text{g}}{1\text{mol}} = 0.85\text{g}$$

13. Molarity Calculations

1. Determine the concentration of 100mL of solution made with 10g of NaCl

$$10\text{g} \times \frac{1\text{mol}}{58.5\text{g}} = \frac{0.17\text{mol}}{0.100\text{L}} = 1.7 \frac{\text{mol}}{\text{L}}$$

2. What volume of 0.5mol/L NaCl solution contains 30 grams of salt?

$$30\text{g} \times \frac{1\text{mol}}{58.5\text{g}} = 0.51\text{mol} \times \frac{1\text{L}}{0.5\text{mol}} = 1\text{L}$$

3. 100mL of a 0.5mol/L solution is diluted by adding 500mL of water. Determine the new concentration.

$$M_1V_1 = M_2V_2$$

$$\left(0.5 \frac{\text{mol}}{\text{L}}\right)(0.1\text{L}) = M_2(0.6\text{L})$$

$$M_2 = \frac{\left(0.5 \frac{\text{mol}}{\text{L}}\right)(0.1\text{L})}{0.6\text{L}} = 0.083 \frac{\text{mol}}{\text{L}}$$

14. Solution Preparation

$$\text{Ca(OH)}_2 = 74.12 \text{ g/mol}$$

Describe how you would use a 500ml volumetric flask to make 500ml of a 0.5mol/L solution of calcium hydroxide. (show any calculations)

$$0.5 \text{ L} \times \frac{0.5 \text{ mol}}{1 \text{ L}} = 0.25 \text{ mol} \times \frac{74.12 \text{ g}}{1 \text{ mol}} = \boxed{18.53 \text{ g}}$$

- mass 18.53g Ca(OH)_2 add to Vol. flask.
- $\frac{1}{2}$ fill with dH_2O + mix
- dilute to the mark

15. Dilutions/Mixing Solutions

1. If 200mL of water is added to 300mL of 0.5mol/L NaCl solution, find the new concentration

$$M_1 V_1 = M_2 V_2$$

$$\left(0.5 \frac{\text{mol}}{\text{L}}\right)(0.3 \text{ L}) = M_2 (0.5 \text{ L})$$

$$M_2 = 0.3 \frac{\text{mol}}{\text{L}}$$

2. If 100mL of 0.5mol/L salt solution is mixed with 200mL of a 0.1mol/L salt solution, what is the new concentration?

$$M_1 V_1 + M_2 V_2 = M_f V_f$$

$$\frac{\left(0.5 \frac{\text{mol}}{\text{L}}\right)(0.1 \text{ L}) + \left(0.1 \frac{\text{mol}}{\text{L}}\right)(0.2 \text{ L})}{0.3 \text{ L}} = \frac{M_f (0.3 \text{ L})}{0.3 \text{ L}}$$

$$M_f = 0.23 \frac{\text{mol}}{\text{L}}$$

16. Dilutions/Mixing Solutions

$$\frac{\text{mol}}{L} \times L = \text{mol}$$

1. $\overset{V_1}{100\text{mL}}$ of a $\overset{M_1}{0.5\text{mol/L}}$ solution has 400mL of water added to it. What is the new concentration?
 $+100 = V_2$

$$M_1 V_1 = M_2 V_2$$

$$(0.5 \frac{\text{mol}}{L})(0.1L) = M_2 (0.5L)$$

$$M_2 = \frac{(0.5 \frac{\text{mol}}{L})(0.1L)}{0.5L} = 0.1 \frac{\text{mol}}{L}$$

2. $\overset{V_1}{100\text{mL}}$ of a $\overset{M_1}{1.0\text{mol/L}}$ NaCl solution is mixed with $\overset{V_2}{900\text{mL}}$ of a $\overset{M_2}{5\text{mol/L}}$ NaCl solution. What is the new concentration?

$$M_1 V_1 + M_2 V_2 = M_f V_f$$

$$\frac{(1 \frac{\text{mol}}{L})(0.1L) + (5 \frac{\text{mol}}{L})(0.9L)}{(1L)} = \frac{M_f (1L)}{(1L)}$$

$$4.6 \frac{\text{mol}}{L} = M_f$$

17. Solution Stoichiometry



Calculate the mass of zinc chloride produced when excess zinc metal reacts with 50ml of 3.0mol/L Hydrochloric acid (HCl)



$$0.05L \times \frac{3.0\text{mol}}{1L} = 0.15\text{mol HCl} \times \frac{1\text{mol ZnCl}_2}{2\text{mol HCl}} = 0.075\text{mol ZnCl}_2 \times \frac{136.4\text{g}}{1\text{mol}}$$

$$= 10.23\text{g}$$